

Public Safety & Health Committee - Board of Representatives

Jeffrey Stella, Chair

Eric Morson, Vice Chair

Notice of Meeting

Date: Wednesday, March 1, 2023

Time:6:30 p.m.
This meeting will be held remotely and can be accessed by computer, tablet or
smartphone at https://www.zoom.us/i/86202908631; or at

https://www.zoom.com– Webinar ID: 862 0290 8631; or by telephone at 1 646 558
8656 – Webinar ID 862 0290 8631.

The Public Safety & Health Committee will meet as indicated above. The agenda is as follows:

	Item No.	Description	Invitee(s) or Designee(s)
1.	PS31.020	REVIEW; Of a "duty to report law" Requiring Property Managers, Building Superintendents, Security Personnel, Doormen, Etc. to Notify 911 of any Emergencies. 04/06/22 – Submitted by Reps. Curtis, Stella, and Pavia 04/20/22 – Report Made & Held by Committee 6-0-0 05/18/22 – No Action Taken 06/22/22 – Report Made & Held in Committee 7-0-0 07/11/22 – Moved to Pending	To be Held
2.	<u>PS31.036</u>	ORDINANCE for publication; Amending Code of Ordinances, <u>Chapter 72</u> , <u>Alcoholic Beverages §72-2</u> , to Prohibit all Consumption of Alcoholic Liquor on any Public Highway or Municipally-Owned Public Area or in a Building or Room without a License for the Sale, Distribution or Dispensing of Alcoholic Liquors. 02/13/23 – Submitted by Reps. Stella, Baxter, Campbell, Matheny, Tomas, and Walston	T. Cassone S. Redd E. Dohmann
3.	PS31.002	REVIEW; Administration Plans to pursue Air Quality Monitoring as Proposed in <u>Resolution 4081</u> .(Previously PS30.092) 12/08/21 – Submitted by Reps. de la Cruz and Berns 12/13/21 – Moved to Pending	L. DeRubeis J. Bishop-Pullan J. Federici

REVIEW; City of Stamford Practices Regarding L. DeRubeis 4. PS31.004 Environmental Testing Prior to Beginning Construction M. Quinones Projects and Disposal of Contaminated Matter Prior to L. Casolo and During Construction Projects and by Private Contractors, including Rock Crushing Activities in the South End, Relative to the Requirements of the EPB and CT DEEP. 01/05/22 - Submitted by Reps. Coleman, Stella, Pratt, De la Cruz, Adams, Curtis, and Figueroa 02/14/22 - Moved to Pending 05/18/22 - No Action Taken 06/13/22 – Moved to Pending 5. PS31.032 REVIEW; Safety Procedures to be Put in Place for N. Compton

 5. PS31.032 REVIEW; Safety Procedures to be Put in Place for N. Compton New Mill River Path on School Property During School L. DeRubeis Hours. 11/09/22 – Submitted by Rep. Adams 11/14/22 – Moved to Pending